

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Panchayat Raj & Rural Development Department –Certain irregularities in the execution of the work "Providing of Cisterns on GLSR Tanks in Weaker Sections' Colony at Kallur Gram Panchayat" - Charges framed against Sri P. Satyam, Dy. Executive Engineer, RWS, Kodumur, Kadapa District– Further Action- Dropped- Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O. Rt. No. 1827

Dated: 1-12-2010.

Read the following:

1. From the General Administration (V & E) Department, Vigilance Report No. 34(996/V&E/E1/2001, Dated:4.4.2002.
2. Govt. Memo No. 20173/V.S.II/A1/2002-1, PR&RD(V.S.II)Department, Dated: 3.5.2002.
3. Govt. Memo No. 20173/Vig.III/2002-16, Dated:26.3.2007 of PR&RD(VIG.III) Department.
4. From the Engineer-in-Chief, PR, Hyderabad, Lr. No. Vig.II(2)/10847/02, Dated:19.4.2007.
5. From the Engineer-in-Chief, PR, Hyderabad, Lr. Nos. Vig.II(2)/10847/02, Dated:5.1.2010 and 6.7.2010.

>>>>>

ORDER:

It has been brought to the notice of the Government that certain irregularities occurred in execution of the work "Providing of Cisterns on GLSR Tanks in Weaker Sections' Colony at Kallur Gram Panchayat" in Kurnool District. The ENC(PR), Hyderabad was requested to offer specific remarks and to furnish the Articles of Charges against Sri P. Satyam, Dy. Executive Engineer, RWS, Kodumur, Kadapa District vide reference 2nd read above. In the reference 4th read above, the ENC(PR), Hyderabad, while furnishing the Articles of Charges against Sri P. Satyam, Dy. Executive Engineer, RWS, Kodumur, Kadapa District, has reported that the individual had retired on 30.6.1999 on attaining the age of superannuation.

2. Government, after careful consideration of the matter with reference to the Rule 9 (2) (b) of A.P.R.P.Rules, 1980, hereby decide and accordingly drop further action against Sri P. Satyam, formerly Dy. E.E., RWS, Kurnool District and retired on 30.6.1999, in view of the four years time-limitation period laid down in Rule 9(2) of A.P. Revised Pension Rules, 1980, which has already been lapsed.

3. The Engineer-In-Chief, Panchayat Raj, Hyderabad shall take further action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

M.V.P.C. SASTRY,

SPL. CHIEF SECRETARY TO GOVERNMENT(PR).

To

The individual concerned through the Engineer-in-Chief, Panchayat Raj, Hyderabad.
The Engineer-in-Chief(PR), Hyderabad(W.E's.) (with a request to serve the copy of this Order to the C.O.).

Copy to:

The General Administration(V&E)Department(w.r.t. their Vigilance Report No. 34(996/V&E/E1/2001, Dated:4.4.2002).

SF/SC.

//FORWARDED:: BY ORDER//

SECTION OFFICER